







Product Overview

Skipper™ Approved Distributor

Product no. / View	Description	Measurements (approx.)		Colours
<p>SK 900 SKIPPER unit</p> 	<p>Unique way to cordon off any area, either indoor or outside, with small effort, but big effect. Max. tape extension 9.0m. Skipper simply clicks on top of most traffic cones (min. height 750 mm) or its own unique Skipper post & base system. Cone or post must be ordered separately.</p>	<p>Height: Width: Depth: Weight:</p>	<p>240 mm 145 mm 145 mm 0,8 kg</p>	<p>Case/Body: grey blue red yellow ORANGE green</p> <p>tape: red/white diag. black/yellow diag. blue/white diag. green/white diag.</p>
<p>SK 905 SKIPPER dummy unit</p> 	<p>Same body as type SK 900, but without retractable tape. Connection of up to three Skipper tape ends possible.</p>	<p>Height: Width: Depth: Weight:</p>	<p>240 mm 145 mm 145 mm 0,8 kg</p>	<p>Case/Body: grey blue red yellow ORANGE green</p> <p>NO TAPE!</p>
<p>SK 800 SKIPPER Unit XS</p> 	<p>Same function as type SK 900, but without traffic cone mounting device. This unit attaches to a range of unique accessories that make it possible to connect to any indoor surface. From high gloss and glass surfaces, to worktops, shelving, door frames and pillars: anything is possible.</p>	<p>Height: Width: Depth: Weight:</p>	<p>126 mm 145 mm 145 mm 0,7 kg</p>	<p>Case/Body: ORANGE</p>

Product Overview

Skipper™ Approved Distributor

Product no. / View	Description	Measurements (approx.)		Colours
<p>SKA 910 SKIPPER barrier post</p> 	<p>Perfect complement to the Skipper unit – instead of traffic cone. Sold as two-part system: Option I with base plate for solid underground. Simple assembling of the Skipper unit and/or of the adapter for the “waste and recycling”-accessories. Base can be filled either with liquid (i.e. water) or sand. Delivery is effected unfilled.</p>	<p>Height: 1000 mm Width: 500 mm Depth: 500 mm Weight: 2,3 kg (unfilled)</p>		<p>Post tube: grey blue red yellow ORANGE green with reflective sleeves and black rings base plate: black</p>
<p>SKAS 910 RS-SKIPPER barrier post with spike</p> 	<p>Perfect complement to the Skipper unit – instead of traffic cone. Sold as two-part system: Option II with spike base for smooth and uneven underground. Simple assembling of the Skipper unit and/or of the adapter for the „waste and recycling“-accessories. Base plate and spike base are interchangeable.</p>	<p>Height: 1000 mm Width: 200 mm Depth: 200 mm Weight: 3,5 kg</p>		<p>Post tube: grey blue red yellow ORANGE green with reflective sleeves and black rings spike base: black</p>
<p>SK 100 SKIPPER cap for barrier post and traffic cone</p> 	<p>Ideal solution to use the Skipper traffic cone as information sign, if no further barrier is required. Gives a complete look to the skipper barrier post when no barrier device is required.</p>	<p>Height: 150 mm Width: 90 mm Depth: 90 mm Weight: 0,2 kg</p>		<p>cap: grey blue red yellow ORANGE Green plug: black</p>

Product Overview

Skipper™ Approved Distributor

<p>SK 920/SKM 920 RS-SKIPPER wall bracket</p> 	<p>Space-saving alternative option for installation of Skipper. Most easy assembling. Also available for magnetic surfaces. Screw-type: SK 920 Magnet-type: SKM 920</p>	<p>Height: Width: Depth:</p>	<p>155 mm 90 mm 120 mm</p>	<p>metal, black</p>
<p>SK 960 SKIPPER light</p> 	<p>Multifunctional LED light. Runs on batteries or rechargeable batteries (batteries and/or chargers not included). Can have a permanent or flashing light and has a switchable light sensor for automatic activation in the dark.</p>	<p>Height: Width: Depth:</p>	<p>112 mm 140 mm 140 mm</p>	<p>YELLOW</p>
<p>SK 950 SKIPPER sign holder</p> 	<p>Sign holder A4 portrait format. Can be clicked on top the Skipper unit. Insert your information, advertisements, and messages easily in the acrylic in the U-frame.</p>	<p>Height: Width: Depth:</p>	<p>213 mm 266 mm 10 mm</p>	<p>BLACK, incl. double-sided acrylic insert</p>
<p>SK 700 SKIPPER post collar</p> 	<p>Post collar for the accessories of the „waste and recycling management“-product range.</p>	<p>Height: Width: Depth:</p>	<p>185 mm 194 mm 131 mm</p>	<p>BLACK</p>
<p>SK 730 SKIPPER recycle bin</p> 	<p>Holder with lid for recycling bins. Can be attached to the Skipper barrier post with the help of the collar or – alternatively – via one of the several wall receiver types. Waste bag not included.</p>	<p>Height: Width: Depth:</p>	<p>194 mm 338 mm 376 mm</p>	<p>BLACK Lid colours: grey blue red ORANGE green</p>





Product Overview

Skipper™ Approved Distributor

Product no. / View	Description	Measurements (approx.)		Colours
<p>SK 735 SKIPPER dispenser</p> 	<p>Dispenser with lid for versatile use e.g. for safety equipment like safety goggles, ear plugs, hair nets, gloves etc. Same attachment options like SK 730.</p>	<p>Height: 262 mm Width: 230 mm Depth: 263 mm Weight: 0,5 kg</p>	<p>BLACK</p> <p>Lid Colours: grey blue red ORANGE green</p>	
<p>SK 740 SKIPPER sanitiser bracket</p> 	<p>Holder for standard soap and sanitiser bottles. Same attachment options like SK 730.</p>	<p>Height: 109 mm Width: 80 mm Depth: 91 mm Weight: 0,06 kg</p>	<p>BLACK</p>	
<p>SK 980 + 985 SKIPPER wall receiver</p> 	<p>Wall receiver to attach the Skipper tape end – also available as magnetic version for magnetic surfaces. Screwable version: SK 980 Magnetic version: SK 985</p>	<p>Height: 100 mm Width: 80 mm Depth: 23 mm Weight: 0,045 kg</p>	<p>BLACK</p>	
<p>SK 880 SKIPPER suction pad</p> 	<p>Suction pad for high gloss and glass surfaces. It can hold the Skipper XS unit or the tape end of all Skipper units. Can also be used to hold the sanitiser bracket, recycle bin or the suction pad bracket.</p>	<p>Height: 45 mm Width: 78 mm Depth: 117 mm Weight: 0,065 kg</p>	<p>BLACK ORANGE</p>	
<p>SK 780 SKIPPER bracket for suction pad</p> 	<p>Bracket for suction pad SK 880 for strengthening so that the recycle bin or safety dispenser can be attached to the suction pad.</p>	<p>Height: 180 mm Width: 166 mm Depth: 62 mm Weight: 0,172 kg</p>	<p>BLACK</p>	






Product Overview

Skipper™ Approved Distributor

Product no. / View	Description	Measurements (approx.)		Colours
<p>SK 885 SKIPPER cord strap clip (magnetic)</p> 	<p>Clip with magnets and tourniquet cord. Can be attached onto magnetic surfaces or wrapped around structures. Can hold the Skipper XS, the sanitizer bracket, safety dispenser, recycle bin and can receive Skipper tape ends.</p>	<p>Height: Width: Depth: Weight:</p>	<p>105 mm 131 mm 19 mm 0,1 kg</p>	<p>BLACK Cord orange</p>
<p>SK 890 SKIPPER cord strap clip (curved)</p> 	<p>Same as SK 885 but as curved version. This allows the clip to be wrapped around poles and cylindrical objects.</p> <p>May turn skipper and post type to a double tape solution (re: photo).</p>	<p>Height: Width: Depth: Weight:</p>	<p>105 mm 131 mm 40 mm 0,085 kg</p>	<p>BLACK Cord orange</p>
<p>SK 820 SKIPPER clamp</p> 	<p>Clamp for holding the sanitiser bracket, recycle bin, safety dispenser or the Skipper XS. Can also receive Skipper unit tape end.</p>	<p>Height: Width: Depth: Weight:</p>	<p>223 mm 140 mm 109 mm 0,23 kg</p>	<p>BLACK ORANGE</p>
<p>SKES 910-J SKIPPER spike</p> 	<p>Spike for Skipper post tube to be sunk into the ground.</p>	<p>Height: Width: Depth: Weight:</p>	<p>200 mm 200 mm</p>	<p>metal, BLACK</p>

Product Overview

Skipper™ Approved Distributor

Product no. / View	Description	Measurements (approx.)		Colours
<p>SKEB 910-J SKIPPER base</p> 	<p>PVC base for the Skipper post tube. Can be filled with water or sand to gain more weight Delivery is made unfilled.</p>	<p>Height: Width: Depth: Weight:</p>	<p>100 mm 500 mm 500 mm 1,5 kg</p>	<p>BLACK</p>
<p>SK 988 SKIPPER belt end</p> 	<p>Replacement tape end for the Skipper tape to attach it to the wall receiver or to itself by creating a loop with the integrated plastic hook.</p>	<p>Height: Width: Depth: Weight:</p>	<p>50 mm 5 mm 20 mm 0,05 kg</p>	<p>BLACK</p>
<p>LK-SK 750 SKIPPER cone</p> 	<p>Cone for Skipper SK 900 or SK 905. Twisted form to reduce wind pressure and to increase stability. Can also be completed by SK 100 cap.</p>	<p>Height: Width: Depth: Weight:</p>	<p>750 mm 555 mm 555 mm 4,5 kg</p>	<p>ORANGE with reflective sleeve Base BLACK</p>
<p>LK 755 RS-GUIDESYSTEMS cone</p> 	<p>Cone for Skipper SK 900 or SK 905.</p>	<p>Height: Width: Depth: Weight:</p>	<p>750 mm 560 mm 560 mm 5,0 kg</p>	<p>ORANGE with reflective sleeve Base BLACK</p>
<p>LK 1055 RS-GUIDESYSTEMS cone</p> 	<p>Cone for Skipper SK 900, or SK 905.</p>	<p>Height: Width: Depth: Weight:</p>	<p>1000 mm 560 mm 560 mm 7,5 kg</p>	<p>ORANGE With reflective sleeve Base BLACK</p>
<p><i>Modular building system = all items available seperately and mostly combinable!</i></p>		<p><i>Subject to modifications in design and technics at any time.</i></p>		<p><i>Color variation possible due to printing output.</i></p>